

## EAST Search History

| Ref # | Hits  | Search Query  | DBs  | Default Operator | Plurals | Time Stamp          |
|-------|-------|---|--|------------------|---------|---------------------|
| S1    | 4     | ((("6466972")) or ("7395324")).PN.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/04/28<br>11:27 |
| S2    | 58417 | boot\$3.ab.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>11:31 |
| S3    | 2374  | boot and interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>11:31 |
| S4    | 18    | (boot\$3 and interpreter).ab.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>11:32 |
| S5    | 2     | ("20030236971").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | OFF     | 2009/04/28<br>11:38 |
| S6    | 5     | preboot near3 interpreter   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>12:20 |
| S7    | 10    | "pre-boot" near3 interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>13:42 |
| S8    | 13    | abstract with (boot) with<br>(specification or instruction<br>or parameter) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>14:11 |
| S9    | 0     | S8 and interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR               | ON      | 2009/04/28<br>14:12 |

|     |        |  |  |    |    |                     |
|-----|--------|--|--|----|----|---------------------|
| S10 | 37     | generic with (boot) with (specification or instruction or parameter)                 | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:14 |
| S11 | 2      | S10 and interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:14 |
| S12 | 347    | abstract with (configur\$5) with (specification or instruction or parameter)         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:15 |
| S13 | 2      | S12 and interpreter and boot\$3  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:15 |
| S14 | 382    | abstract with (configur\$5) with (specification or instruction or parameter or task) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:17 |
| S15 | 70     | S14 and boot\$3  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:17 |
| S16 | 132    | S14 and interpret\$3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:17 |
| S17 | 199541 | (machine or target or client) near4 (dependent or independent or specific)           | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:18 |
| S18 | 28     | S16 and S17  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>14:18 |
| S19 | 4213   | (generic or abstract) near4 image  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>16:08 |

|     |       |   |  |    |    |                     |
|-----|-------|---|--|----|----|---------------------|
| S20 | 335   | S17 and S19   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>16:08 |
| S21 | 26    | S20 and boot\$3 and<br>interpret\$3   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/28<br>16:09 |
| S23 | 305   | "preboot execution<br>environment"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:19 |
| S28 | 12901 | (abstract or generic or<br>((machine or target or<br>client) near4<br>(independent))) with<br>(image) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:26 |
| S29 | 11    | S28 and S23   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:26 |
| S30 | 1393  | "pre-boot" or preboot\$3  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:27 |
| S31 | 28    | S30 and S28   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:27 |
| S32 | 64    | S30 and interpreter   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:27 |
| S33 | 44    | ("5577210"   "5732268"  <br>"5842011"   "5872968"  <br>"6209089").PN. OR<br>("6317826").URPN.         | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2009/04/29<br>15:39 |
| S34 | 501   | S28 and interpreter   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>15:42 |

|     |      |   |  |    |     |                     |
|-----|------|---|--|----|-----|---------------------|
| S35 | 14   | S28 same interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:42 |
| S36 | 94   | (abstract or generic or<br>((machine or target or<br>client) near4<br>(independent))) with (boot<br>\$3 or preboot\$3 or "pre-<br>boot") with (instruction or<br>file or task or specification<br>or image)         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:43 |
| S37 | 45   | S36 and (interpret\$3 or<br>compil\$3 or customiz\$5)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:43 |
| S38 | 4    | S36 with (convert\$3 or<br>translat\$3 or transform\$5<br>with interpret\$3 or compil<br>\$3 or customiz\$5)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:45 |
| S39 | 126  | (abstract or generic or<br>((machine or target or<br>client) near4<br>(independent))) with (boot<br>\$3 or preboot\$3 or "pre-<br>boot") with (instruction or<br>file or task or specification<br>or image or code) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:45 |
| S40 | 4    | S39 with (convert\$3 or<br>translat\$3 or transform\$5<br>with interpret\$3 or compil<br>\$3 or customiz\$5)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:46 |
| S41 | 10   | S39 same (convert\$3 or<br>translat\$3 or transform\$5<br>with interpret\$3 or compil<br>\$3 or customiz\$5)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:47 |
| S42 | 9539 | ((717/168-178) or<br>(713/1,2)).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>15:48 |
| S43 | 44   | S39 and S42   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>15:48 |

|     |        |   |  |    |     |                     |
|-----|--------|---|--|----|-----|---------------------|
| S44 | 97710  | (abstract or generic or ((machine or target or client) near4 (independent))) with (instruction or file or task or specification or image or code) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:05 |
| S45 | 201091 | (boot\$3 or preboot\$3 or "pre-boot")   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S46 | 4038   | S44 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil \$3 or customiz\$5)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S47 | 399    | S46 and S45   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S48 | 9539   | ((717/168-178) or (713/1,2)).CCLS.  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>17:06 |
| S49 | 26     | S47 and S48   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S50 | 58437  | S45.ab.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S51 | 8      | S50 and S46   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:06 |
| S52 | 2      | ("6684327").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>17:10 |

|     |       |   |  |    |    |                     |
|-----|-------|---|--|----|----|---------------------|
| S53 | 89831 | (abstract or generic or ((machine or target or client) near4 (independent))) with (instruction or file or task or specification or image) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:12 |
| S54 | 2637  | S53 with (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil \$3 or customiz\$5)                                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:12 |
| S55 | 211   | S45 and S54   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:13 |
| S56 | 2052  | pxe or "preboot execution environment"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:13 |
| S57 | 108   | S44 and S56   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:13 |
| S58 | 2     | S54 and S56   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:13 |
| S59 | 2071  | pxe or "preboot execution environment" or "pre-boot execution environment"  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:14 |
| S60 | 2     | S54 and S59   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:15 |
| S61 | 111   | S44 and S59   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/29<br>17:15 |

|     |        |   |  |    |     |                     |
|-----|--------|---|--|----|-----|---------------------|
| S62 | 62     | S61 and (convert\$3 or translat\$3 or transform\$5 with interpret\$3 or compil\$3 or customiz\$5)         | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:15 |
| S63 | 55841  | (abstract ) with (instruction or file or task or specification or image)                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:27 |
| S64 | 59     | S59 and S63   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/29<br>17:27 |
| S65 | 2      | ("20040236943").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>17:32 |
| S66 | 2      | ("20040236934").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>17:32 |
| S67 | 3      | ("2004/0236934").URPN.  | USPAT  | OR | ON  | 2009/04/29<br>17:37 |
| S68 | 3      | ("7107441").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/29<br>17:39 |
| S69 | 2658   | (generat\$3 or construct\$3 or creat\$3) with (generic or abstract) with (specification or task or image) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>09:11 |
| S70 | 172046 | (customiz\$5 or translat\$3 or transform\$5 or interpret\$3) with (image or specification or task)        | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>09:11 |
| S71 | 1037   | S69 and S70   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>09:12 |

|     |      |   |  |    |    |                     |
|-----|------|---|--|----|----|---------------------|
| S72 | 2929 | pxe or "preboot execution environment" or "pre-boot execution environment" or "pre-boot" or "preboot"                       | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:12 |
| S73 | 6    | S72 and S71   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:13 |
| S74 | 0    | (boot near3 loader) with interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:17 |
| S75 | 16   | (boot near3 loader) same interpreter  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:17 |
| S76 | 2    | post near4 pseudocode   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:25 |
| S77 | 43   | (customiz\$5 or translat\$3 or transform\$5 or interpret \$3) with (preboot or "pre-boot")                                  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:33 |
| S78 | 154  | (customiz\$5 or translat\$3 or transform\$5 or interpret \$3) with (boot) with (sequence or task or image or specification) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:52 |
| S79 | 20   | S78 and S72   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/04/30<br>09:52 |
| S80 | 11   | ("20030191911"   "20040034765"   "5832214"   "5842024"   "5901228"   "6804774"). PN. OR ("7356679"). URPN.                  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2009/04/30<br>10:18 |
| S81 | 5    | "956691".ap.  | US-PGPUB;<br>USPAT; USOCR  | OR | ON | 2009/04/30<br>10:19 |



|     |       |   |  |    |     |                     |
|-----|-------|---|--|----|-----|---------------------|
| S82 | 70    | microsoft near2 ads   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>12:12 |
| S83 | 64    | sysprep   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>12:12 |
| S84 | 3     | S82 and S83   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>12:12 |
| S86 | 42    | S83 and customiz\$5   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/04/30<br>12:13 |
| S87 | 2     | ("20070150854").PN.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/04/30<br>15:57 |
| S88 | 11848 | ((717/106-109,114-<br>117,136,139-143) or<br>(713/1,2,100)).CCLS.   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | OFF | 2009/05/03<br>20:51 |
| S89 | 154   | (customiz\$5 or translat\$3<br>or transform\$5 or interpret<br>\$3) with (boot) with<br>(sequence or task or image<br>or specification) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/05/03<br>20:52 |
| S90 | 52    | S88 and S89   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/05/03<br>20:52 |
| S91 | 2658  | (generat\$3 or construct\$3<br>or creat\$3) with (generic or<br>abstract) with<br>(specification or task or<br>image)                   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/05/03<br>20:54 |
| S92 | 2     | S89 and S91   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON  | 2009/05/03<br>20:54 |

|      |     |   |  |    |    |                     |
|------|-----|---|--|----|----|---------------------|
| S93  | 94  | (abstract or generic or ((machine or target or client) near4 (independent))) with (boot \$3 or preboot\$3 or "pre-boot") with (instruction or file or task or specification or image) | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:55 |
| S94  | 36  | S88 and S93   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:55 |
| S95  | 89  | S88 and S91   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:55 |
| S96  | 33  | nested near4 (encapsulation or parameterization)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:56 |
| S97  | 0   | S96 and S88   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:56 |
| S98  | 357 | generate near4 (encapsulation or parameterization)  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:56 |
| S99  | 345 | (execut\$3 or interpret\$3) near4 (encapsulation or parameterization)   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:57 |
| S100 | 30  | S98 and S99   | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:57 |
| S101 | 10  | S98 same S99  | US-PGPUB;<br>USPAT; USOCR;<br>FPRS; EPO; JPO;<br>DERWENT;<br>IBM_TDB | OR | ON | 2009/05/03<br>20:57 |

5/4/2009 10:03:43 AM

**C:\Documents and Settings\jwang4\My Documents\EAST\Workspaces\10787224.wsp**